









**AiM Infotech**

Harness of 14 pins AMP connector  
for MXS Strada – OBDII version

**Release 1.00**

---



N.rev. / Rev. N.		Descrizione / Description		Data / date	Firma / Sign	Contr. da / Ckd. by
<p><b>Harness of 14 pins AMP connector for MXS strada - OBDII version</b></p>  <p>N.2 - 1x0.5 cables N.1 - 5x0.25 cable N.1 - 2x0.35 + 1x0.35 twisted cable N.1 - 3x0.35 cable OBDII connector 14 pins AMP flying female connector</p>  <p>16 pins "OBDII" male flying connector pinout Solder termination view connect pins 7-15</p>  <p>5 pins Binder 712 female connector pinout solder termination view</p>  <p>4 pins Binder 719 female connector pinout solder termination view</p>  <p>14 pins AMP female connector pinout contact insertion view</p>						
Rif. / Ref.	Q.tà / Q.ty	Materiale / Material		N. articolo / Item N.		
Progettato da / Designed by	Contr. da / Ckd. by	Approvato da / Approved by	Nome file / File name	Data / Date	Scala / Scale	
		Titolo / Title				
		N. disegno / Drawing N.	04.573.23	Rev. / Rev.	Foglio / Sheet 1 of 2	

N.rev. / Rev. N.	Descrizione / Description	Data / date	Firma / Sign	Contr. da / Ckd. by
------------------	---------------------------	-------------	--------------	---------------------

Table of cables ending with 4 pins Binder 719 female connector						
AMP connector pin	Cable colour	Binder connector pin	Cable type	Length	Channel	Label
11 13 12	White* Black Blue* nc	1 2 3 4	2x0.35+1x0.35 twisted	1100 mm	USB D+ GND USB USB D- nc	USB

\* twisted cables

Table of cables ending with 5 pins Binder 712 female connector						
AMP connector pin	Cable colour	Binder connector pin	Cable type	Length	Channel	Label
3 4 5 6 7	White Black Red Blue Orange	1 2 3 4 5	5x0.25 mm <sup>2</sup>	350 mm	CAN+ Exp GND Vb CAN out CAN- Exp Vb ext CAN	Exp

Table of cables ending with OBDII male connector						
AMP connector pin	Cable colour	OBDII connector pin	Cable type	Length	Channel	Label
8 9 10	White Black Blue	6 14 7	3x0.35 mm <sup>2</sup>	1200 mm	CAN 1+ CAN 1- K Line ECU	OBDII





Table of not ended cables				
AMP connector pin	Cable colour	Cable type	Length	Label
2 1	Black Red	1x0.5 mm <sup>2</sup> 1x0.5 mm <sup>2</sup>	550 mm	GND Battery 9-15V Power input

Rif. / Ref.	Q.tà / Q.ty	Materiale / Material			N. articolo / Item N.	
Progettato da / Designed by	Contr. da / Ckd. by	Approvato da / Approved by	Nome file / File name		Data / Date	Scala / Scale
		Titolo / Title				
		N. disegno / Drawing N.			04.573.23	Rev. / Rev.